

SINGLE AGENTS AND THE SET OF
MANY-TO-ONE STABLE MATCHINGS*

by

R. Martínez[†], J. Massó[‡], A. Neme[†], and J. Oviedo[†]

February, 1999

Revised: July, 1999

ABSTRACT: Some properties of the set of many-to-one stable matchings when firms have responsive preferences and quotas *are not* necessarily true when firms preferences are substitutable. In particular, we exhibit examples in which firms have substitutable preferences but firms and workers may be “single” in one stable matching but matched in another one. We identify a set of axioms on firms preferences guaranteeing that the set of unmatched agents is the same under every stable matching. We also propose a weaker condition than responsiveness, called separability with quotas or q -separability, that together with substitutability implies this set of axioms. *Journal of Economic Literature* Classification Number: J41.

*We thank José Alcade, Carmen Beviá, Flip Klijn, David Pérez-Castrillo, Howard Petith, Alvin Roth, Tayfun Sönmez, and an associate editor for their helpful comments. We are specially grateful to an anonymous referee whose suggestions and comments helped to improve considerably the paper. Financial support through a grant from the Programa de Cooperación Científica Iberoamericana is acknowledged. The work of Jordi Massó is also partially supported by Research Grants PB96-1192 from the Dirección General de Investigación Científica y Técnica, Spanish Ministry of Education, and SGR98-62 from the Comissionat per Universitats i Recerca de la Generalitat de Catalunya. The paper was partially written while Alejandro Neme was visiting the UAB under a sabbatical fellowship from the Spanish Ministry of Education.

[†]Instituto de Matemática Aplicada. Universidad Nacional de San Luis and CONICET. Ejército de los Andes 950. 5700, San Luis, Argentina. (E-mails: martinez@unsl.edu.ar, aneme@unsl.edu.ar, and joviedo@unsl.edu.ar).

[‡]Departament d’Economia i d’Història Econòmica and CODE. Universitat Autònoma de Barcelona. 08193, Bellaterra (Barcelona), Spain. (E-mail: jmasso@volcano.uab.es).

1 Introduction

Two-sided, many-to-one models have been used to study assignment problems where agents can be divided, from the very beginning, into two disjoint subsets. One contains institutions like *firms*, hospitals, colleges, sororities, orchestras, schools, clubs, etc. The other includes individuals like *workers*, medical interns, students, musicians, children, sportsmen, etc. The fundamental question of these assignment problems consists of matching each firm, on one side, with a group of workers, on the other side.¹ Stability has been considered the main property to be satisfied by any sensible matching. A matching is called stable if all agents have acceptable partners and there is no unmatched worker-firm pair who both would prefer to be matched to each other rather than staying with their current partners. To give all blocking power to only individual agents and worker-firm pairs seems a weak requirement. Moreover, in many cases it may be the right solution concept since, to destroy an individually rational unstable matching, only a telephone call (or a couple of e-mails) is required.

The “college admissions model with substitutable preferences” is the name given by Roth and Sotomayor [9] to the most general many-to-one model with ordinal preferences. Firms are restricted to having substitutable preferences over subsets of workers; namely, all firms continue to want to employ a worker even if other workers become unavailable.² Under this hypothesis Roth and Sotomayor [9] showed that the deferred-acceptance algorithms produce either the firm-optimal stable matching or the worker-optimal stable matching, depending on whether the firms or the workers make the offers. The firm (worker)-optimal stable matching is unanimously considered by all firms (respectively, workers) to be the best among all stable matchings.

A more specific many-to-one model, called the “college admissions problem” by Gale and Shapley [1], supposes that firms (colleges) have a maximum number of positions to be filled (their quota), and that each firm (college), given its ranking of individual workers (students), orders subsets of workers in a responsive manner; namely, for any two subsets that differ in only one

¹We will follow the convention of generically referring to institutions as firms and to individuals as workers. See Roth and Sotomayor [9] for an illuminating and comprehensive survey of this literature as well as an exhaustive bibliography.

²Kelso and Crawford [4] were the first to use this property in a more general model with money. They proved the existence of a stable matching and of a firm-optimal stable matching (all firms agree it is the best stable matching).

student a college prefers the subset containing the most-preferred student. In this model the set of stable matchings satisfies the following additional properties: (1) There is a polarization of interests between the two sides of the market along the set of stable matchings. (2) The set of unmatched agents is the same under every stable matching. (3) The number of workers assigned to a firm through stable matchings is the same. (4) If a firm does not complete its quota under some stable matching then it gets the same set of workers at any stable matching.³

The purpose of this note is twofold. On the one hand, its negative side: we exhibit examples with firms having substitutable preferences in which properties (1) to (4) are violated. On the other hand, its positive side: we propose a set of axioms on firms preferences (opposite optimality, acceptability, and desirability) under which properties (2), (3), and (4) hold. Moreover, we identify a weaker condition than q -responsiveness, called separability with quota, or q -separability, that together with substitutability imply the set of axioms. We also show that these restricted preferences do not guarantee that property (1) holds (see Example 2). A firm is said to have separable preferences over all subsets of workers if its partition between acceptable and unacceptable workers has the property that only adding acceptable workers makes any given subset of workers a better one. However, in many applications as the entry-level professional labor markets, separability alone does not seem very reasonable because firms usually have much smaller number of openings (their quota) than that there are “good” workers looking for a job. In those cases it seems reasonable to restrict firm preferences in such a way that the separability condition operates only up to their quota, considering unacceptable all subsets with higher cardinality. Moreover, while responsiveness seems the relevant property for extending an ordered list of individual students to preferences on all subsets of students, it is too restrictive, though, to capture some degree of complementarity among workers, which can be very natural in other settings. The q -separability condition permits greater flexibility in going from orders on individuals to orders on subsets. For instance, candidates for a job can be grouped together by areas of specialization. A firm with quota two may consider as the best subset of workers not the set consisting of the first two candidates on the individual

³Property (1) is a consequence of the decomposition lemma proved by Gale and Sotomayor [2] and [3]. Properties (2) and (3) were proved independently by Gale and Sotomayor [2] and [3] and Roth [5]. Property (4) was proved by Roth [7].

ranking (which may have both the same specialization) but rather the subset composed of the first and fourth candidates in the individual ranking (i.e.; the first in each area of specialization).

In the next section we present the notation and definitions. Section 3 contains the results and the main examples.

2 Notation and definitions

There are two disjoint sets of agents, the set of n firms \mathcal{F} and the set of m workers \mathcal{W} . Each firm $F \in \mathcal{F}$ has a strict, transitive, and complete preference relation $P(F)$ over $2^{\mathcal{W}}$, and each worker $w \in \mathcal{W}$ has a strict, transitive, and complete preference relation $P(w)$ over $\mathcal{F} \cup \{\emptyset\}$. *Preferences profiles* are $(n + m)$ -tuples of preference relations and they are represented by $P = (P(F_1), \dots, P(F_n); P(w_1), \dots, P(w_m))$. Given a preference relation of a firm $P(F)$ the subsets of workers preferred to the empty set by F are called acceptable. Similarly, given a preference relation of a worker $P(w)$ the firms preferred by w to the empty set are called acceptable. To express preference relations in a concise manner, and since only acceptable partners will matter, we will represent preference relations as lists of acceptable partners. We will denote by \mathcal{P} a generic subset of preferences profiles.

The assignment problem consists of matching workers with firms keeping the bilateral nature of their relationship and allowing for the possibility that both, firms and workers, may remain unmatched. Formally,

Definition 1 A *matching* μ is a mapping from the set $\mathcal{F} \cup \mathcal{W}$ into the set of all subsets of $\mathcal{F} \cup \mathcal{W}$ such that for all $w \in \mathcal{W}$ and $F \in \mathcal{F}$:

1. Either $|\mu(w)| = 1$ and $\mu(w) \subseteq \mathcal{F}$ or else $\mu(w) = \emptyset$.
2. $\mu(F) \in 2^{\mathcal{W}}$.
3. $\mu(w) = F$ if and only if $w \in \mu(F)$.

We say that w and F are *single* in a matching μ if $\mu(w) = \emptyset$ and $\mu(F) = \emptyset$. Otherwise, they are matched. A matching μ is said to be *one-to-one* if firms can hire at most one worker; namely, condition 2 is replaced by: Either $|\mu(F)| = 1$ and $\mu(F) \subseteq \mathcal{W}$ or else $\mu(F) = \emptyset$. The model in which

all matchings are one-to-one is also known in the literature as the *marriage model*. We will follow the widespread notation where

$$\mu = \left(\begin{array}{cccc} F_1 & F_2 & F_3 & \emptyset \\ \{w_3, w_4\} & \{w_1\} & \emptyset & \{w_2\} \end{array} \right)$$

represents the obvious matching between $\mathcal{F} = \{F_1, F_2, F_3\}$ and $\mathcal{W} = \{w_1, w_2, w_3, w_4\}$.

Given a set of workers $S \subseteq \mathcal{W}$, let $Ch(S, P(F))$ denote firm F 's *most-preferred* subset of S according to its preference ordering $P(F)$. A matching μ is *blocked by a worker* w if $\emptyset P(w) \mu(w)$. Similarly, μ is *blocked by a firm* F if $\mu(F) \neq Ch(\mu(F), P(F))$. We say that a matching is *individually rational* if it is not blocked by any individual agent. A matching μ is *blocked by a worker-firm pair* (w, F) if $F P(w) \mu(w)$ and $w \in Ch(\mu(F) \cup \{w\}, P(F))$.

Definition 2 A matching μ is **stable** if it is not blocked by any individual agent or any firm-worker pair.

Given a preference profile P , denote the set of stable matchings by $S(P)$. It is easy to construct examples of preference profiles P with the property that the set $S(P)$ is empty. This is the reason why the literature has focused on the restriction where workers are regarded as substitutes.

Definition 3 A firm F 's preference ordering $P(F)$ satisfies **substitutability** if for any set S containing workers w and \bar{w} ($w \neq \bar{w}$), if $w \in Ch(S, P(F))$ then $w \in Ch(S \setminus \{\bar{w}\}, P(F))$.

A preference profile P is *substitutable* if for each firm F , the preference ordering $P(F)$ satisfies substitutability. The literature has also studied subsets of preferences where firms (workers) unanimously agree that a matching $\mu_{\mathcal{F}}$ ($\mu_{\mathcal{W}}$) is the best stable matching. That is why $\mu_{\mathcal{F}}$ and $\mu_{\mathcal{W}}$ are called, respectively, the firms-optimal stable matching and the workers-optimal stable matching.⁴ Moreover, there is an opposition of interests on these two optimal stable matchings. We state both properties as an axiom on sets of preferences profiles \mathcal{P} .

(OO) The set \mathcal{P} satisfies OPPOSITE OPTIMALITY if for all $P \in \mathcal{P}$ there exist $\mu_{\mathcal{F}}, \mu_{\mathcal{W}} \in S(P)$ such that for all $\mu \in S(P)$ and all F and w : $\mu_{\mathcal{F}} R(F) \mu R(F) \mu_{\mathcal{W}}$ and $\mu_{\mathcal{W}} R(w) \mu R(w) \mu_{\mathcal{F}}$.

⁴We are following the convention of extending preferences from the original sets ($2^{\mathcal{W}}$ and $\mathcal{F} \cup \{\emptyset\}$) to the set of matchings. However, we now have to consider weak orderings since the matchings μ and μ' may associate the same partner with an individual. These orderings will be denoted by $R(F)$ and $R(w)$.

Remark 1 *The set of substitutable preferences satisfies opposite optimality.*

We will also concentrate on subsets of preferences satisfying the axiom that, in a stable matching, firms only hire individually acceptable workers.

(A) The set \mathcal{P} satisfies ACCEPTABILITY if for all $P \in \mathcal{P}$ and all $\mu \in S(P)$: $w \in \mu(F)$ implies $wP(F)\emptyset$.

We will assume that each firm F has a maximum number of positions to be filled: its quota q_F . This limitation may arise from, for example, technological, legal, or budgetary reasons. We will denote by $q = (q_F)_{F \in \mathcal{F}}$ the list of quotas and we will focus on the axiom saying that if a firm does not fill its quota it is willing to hire an acceptable worker. Formally,

(D) The set \mathcal{P} satisfies q -DESIRABILITY if for all $P \in \mathcal{P}$, all $\mu \in S(P)$, and all $F \in \mathcal{F}$: $|\mu(F)| < q_F$ and $wP(F)\emptyset$ imply $w \in Ch(\mu(F) \cup \{w\}, P(F))$.

We now define the set of q -separable and q -responsive preferences. A firm F has q -separable preferences if the division between *good* workers ($wP(F)\emptyset$) and *bad* workers ($\emptyset P(F)w$) guides, up to his quota, the ordering of subsets in the sense that adding a good worker leads to a *better* set, while adding a bad worker leads to a *worse* set. Formally,

Definition 4 *A firm F 's preference ordering $P(F)$ is q_F -separable if: (a) for all $S \subsetneq \mathcal{W}$ such that $|S| < q_F$ and $w \notin S$ we have that $(S \cup \{w\})P(F)S$ if and only if $wP(F)\emptyset$, and (b) $\emptyset P(F)S$ for all S such that $|S| > q_F$.⁵*

Remark 2 *The set of q -separable preferences satisfies acceptability and q -desirability.*

Following Roth and Sotomayor [9], a firm F 's preference ordering $P(F)$ (over all *subsets* of workers) is said to be q_F -responsive (to its ordering over individual workers) if it is q_F -separable and for any two sets of workers that differ in only one worker, F prefers the subset containing the most-preferred worker. Formally,

Definition 5 *A firm F 's preference ordering $P(F)$ over sets of workers is q_F -responsive if it is q_F -separable and for all $S, w' \in S$, and $w \notin S$ we have that $(S \setminus \{w'\} \cup \{w\})P(F)S$ if and only if $wP(F)w'$.*

⁵For the purpose of studying the set of stable matchings, condition (b) in this definition could be replaced by the following condition: $|Ch(S, P(F))| \leq q_F$ for all S such that $|S| > q_F$. We choose condition (b) since it is simpler. Sönmez [10] used an alternative approach that consists of deleting condition (b) in the definition but then requiring in the definition of a matching that $|\mu(F)| \leq q_F$ for all $F \in \mathcal{F}$.

A preference profile P is q -separable if each $P(F)$ is q_F -separable. Similarly, P is q -responsive if each $P(F)$ is q_F -responsive. In principle, we may have firms with different quotas. The case where all firms have 1-separable preferences is equivalent, from the point of view of stability, to the one-to-one model. Hence, our set-up includes the marriage model as a particular case.

The following ordering over $2^{\mathcal{W}}$, where $\mathcal{W} = \{w_1, w_2, w_3, w_4\}$,

$$P(F) = \{w_1, w_2\}, \{w_3, w_4\}, \{w_1, w_3\}, \{w_1, w_4\}, \{w_2, w_3\}, \{w_2, w_4\}, \\ \{w_1\}, \{w_2\}, \{w_3\}, \{w_4\}$$

illustrates the fact that q -separability does not imply substitutability. To see this, notice that $P(F)$ is 2-separable but it is not substitutable since $w_1 \in Ch(\{w_1, w_2, w_3, w_4\}, P(F))$, but $w_1 \notin Ch(\{w_1, w_3, w_4\}, P(F))$. However, it is easy to see that all $(m-1)$ -separable as well as all q_F -responsive preferences are substitutable. As a consequence of this later inclusion we have that $S(P) \neq \emptyset$ if P is q -responsive. The ordering

$$P(F') = \{w_1, w_3\}, \{w_1, w_2\}, \{w_2, w_3\}, \{w_1\}, \{w_2\}, \{w_3\}$$

illustrates the fact that the set of q -responsive preferences is a proper subset of the set of q -separable and substitutable preferences.

The following example shows that even if all firms have q -separable preferences the set of stable matchings may be empty.

Example 1 Let $\mathcal{F} = \{F_1, F_2\}$ and $\mathcal{W} = \{w_1, w_2, w_3, w_4\}$ be the two sets of agents with a profile of preferences P defined by

$$P(F_1) = \{w_3, w_4\}, \{w_2, w_4\}, \{w_1, w_2\}, \{w_1, w_3\}, \{w_2, w_3\}, \{w_1, w_4\}, \{w_1\}, \\ \{w_2\}, \{w_3\}, \{w_4\}, \\ P(F_2) = \{w_3\}, \{w_4\}, \\ P(w_1) = F_1, \\ P(w_2) = F_1, \\ P(w_3) = F_1, F_2, \text{ and} \\ P(w_4) = F_2, F_1.$$

Notice that P is $(2, 1)$ -separable. However, it is a matter of verification to see that $S(P) = \emptyset$.

3 Results and examples

In the marriage model the decomposition lemma says that both sides of the market are in conflict on the set of stable matchings in the sense that the partners (through any stable matching μ_1) of the subset of agents of one side of the market that consider μ_1 to be at least as good as the stable matching μ_2 , have to consider μ_2 to be at least as good as μ_1 . In particular (and we referred to it in the Introduction as Property (1)), if all agents of one side of the market consider the stable matching μ_1 to be at least as good as the stable matching μ_2 then all agents of the other side have to consider μ_2 to be at least as good as μ_1 . For the college admissions model with q -responsive preferences the decomposition lemma can be obtained by using the following result of Roth and Sotomayor [8]: For any given pair of stable matchings μ_1 and μ_2 , if firm F prefers $\mu_1(F)$ to $\mu_2(F)$ then it prefers every worker in $\mu_1(F)$ to any worker in $\mu_2(F) \setminus \mu_1(F)$. This result also implies that the set of stable matchings depends only on how firms order individual workers and not on their specific responsive extensions. Roth [6] gives an example where the decomposition lemma is not true in a many-to-one model with money and substitutable preferences. Example 2 below shows that the decomposition lemma does not hold in our more restricted framework of ordinal, q -separable, and substitutable preferences.

Example 2 Let $\mathcal{F} = \{F_1, F_2\}$ and $\mathcal{W} = \{w_1, w_2, w_3, w_4\}$ be the two sets of agents with the $(2, 2)$ -separable and substitutable profile of preferences P defined by

$$\begin{aligned} P(F_1) &= \{w_1, w_2\}, \{w_1, w_3\}, \{w_2, w_4\}, \{w_3, w_4\}, \{w_1, w_4\}, \{w_2, w_3\}, \{w_1\}, \{w_2\}, \\ &\quad \{w_3\}, \{w_4\}, \\ P(F_2) &= \{w_3, w_4\}, \{w_2, w_4\}, \{w_1, w_3\}, \{w_1, w_2\}, \{w_1, w_4\}, \{w_2, w_3\}, \{w_1\}, \{w_2\}, \\ &\quad \{w_3\}, \{w_4\}, \\ P(w_1) &= F_2, F_1, \\ P(w_2) &= F_2, F_1, \\ P(w_3) &= F_1, F_2, \text{ and} \\ P(w_4) &= F_1, F_2. \end{aligned}$$

The set of stable matchings consists of the following four matchings:

$$\mu_{\mathcal{F}} = \left(\begin{array}{cc} F_1 & F_2 \\ \{w_1, w_2\} & \{w_3, w_4\} \end{array} \right),$$

$$\begin{aligned}\mu_1 &= \begin{pmatrix} F_1 & F_2 \\ \{w_1, w_3\} & \{w_2, w_4\} \end{pmatrix}, \\ \mu_2 &= \begin{pmatrix} F_1 & F_2 \\ \{w_2, w_4\} & \{w_1, w_3\} \end{pmatrix}, \text{ and} \\ \mu_{\mathcal{W}} &= \begin{pmatrix} F_1 & F_2 \\ \{w_3, w_4\} & \{w_1, w_2\} \end{pmatrix}.\end{aligned}$$

Notice that $\mu_{\mathcal{F}}P(F) \mu_1P(F) \mu_2P(F) \mu_{\mathcal{W}}$ for all F and

$$\begin{aligned}\mu_{\mathcal{W}}R(w_1) \mu_2P(w_1) \mu_1R(w_1) \mu_{\mathcal{F}}, \\ \mu_{\mathcal{W}}R(w_2) \mu_1P(w_2) \mu_2R(w_2) \mu_{\mathcal{F}}, \\ \mu_{\mathcal{W}}R(w_3) \mu_1P(w_3) \mu_2R(w_3) \mu_{\mathcal{F}}, \text{ and} \\ \mu_{\mathcal{W}}R(w_4) \mu_2P(w_4) \mu_1R(w_4) \mu_{\mathcal{F}}.\end{aligned}$$

Therefore, μ_1 is strictly preferred to μ_2 by F_1 , F_2 , and w_2 .

We turn now to establish the fact that under axioms (OO), (A), and (D) (and therefore, under q -separable and substitutable preferences) properties (2), (3), and (4) hold. These are important properties; for instance, if property (2) does not hold it means that a “single” agent would be able to argue that he was badly treated by a particular stable matching. Remember that they also hold in both the marriage and the college admission models. This is in spite of the fact that their proofs in these models, according to Roth and Sotomayor [9], are “a simple consequence of the decomposition lemma” which does not hold in our setting. Moreover, the structure of the set of stable matchings coincides in the marriage and the college admission models. This is because one can identify each firm F with q_F identical firms and any many-to-one matching μ with the one-to-one matching $\bar{\mu}$ where each $w \in \mu(F)$ is matched through $\bar{\mu}$ with one of the q_F replica of F . However, as soon as preferences are not q -responsive, the properties of the set of stable matchings have to be proven directly without relying on the properties of the marriage model.

Proposition 1 *Assume \mathcal{P} satisfies axioms (OO), (A), and (D) and let $P \in \mathcal{P}$. If w is single in $\mu \in S(P)$, then w is single in any $\mu' \in S(P)$.*

Proof. Suppose the contrary; that is, there exist \bar{w} , \hat{F} , and $\mu, \mu' \in S(P)$ such that $\mu(\bar{w}) = \emptyset$ and $\mu'(\bar{w}) = \hat{F}$. By (OO), there exist matchings $\mu_{\mathcal{F}}$ and $\mu_{\mathcal{W}}$ that are the worst and the best stable matchings, respectively, for all workers. Therefore, we can also find a firm \bar{F} such that $\bar{w} \in \mu_{\mathcal{W}}(\bar{F})$ and $\bar{w} \notin \bigcup_F \mu_{\mathcal{F}}(F)$. We will distinguish between two cases:

Case 1: $\bigcup_F \mu_{\mathcal{F}}(F) \subseteq \bigcup_F \mu_{\mathcal{W}}(F)$. In this case

$$\sum_F |\mu_{\mathcal{F}}(F)| < \sum_F |\mu_{\mathcal{W}}(F)| \leq \sum_F q_F, \quad (1)$$

where the strict inequality follows because $\bar{w} \notin \bigcup_F \mu_{\mathcal{F}}(F)$. Then, $|\mu_{\mathcal{F}}(\tilde{F})| < q_{\tilde{F}}$ for at least one \tilde{F} . Denote by $\tilde{\mathcal{F}}$ the set of all such firms. We claim that there exists $F_0 \in \tilde{\mathcal{F}}$ such that $\mu_{\mathcal{W}}(F_0) \setminus \mu_{\mathcal{F}}(F_0) \neq \emptyset$, because otherwise, $\mu_{\mathcal{W}}(F) \subseteq \mu_{\mathcal{F}}(F)$ for all $F \in \tilde{\mathcal{F}}$ would imply

$$\begin{aligned} \sum_F |\mu_{\mathcal{W}}(F)| &= \left| \bigcup_F \mu_{\mathcal{W}}(F) \right| = \left| \bigcup_{F \in \tilde{\mathcal{F}}} \mu_{\mathcal{W}}(F) \right| + \left| \bigcup_{F \notin \tilde{\mathcal{F}}} \mu_{\mathcal{W}}(F) \right| \\ &\leq \left| \bigcup_{F \in \tilde{\mathcal{F}}} \mu_{\mathcal{F}}(F) \right| + \left| \bigcup_{F \notin \tilde{\mathcal{F}}} \mu_{\mathcal{W}}(F) \right| \\ &\leq \left| \bigcup_{F \in \tilde{\mathcal{F}}} \mu_{\mathcal{F}}(F) \right| + \left| \bigcup_{F \notin \tilde{\mathcal{F}}} \mu_{\mathcal{F}}(F) \right| \\ &= \left| \bigcup_F \mu_{\mathcal{F}}(F) \right| = \sum_F |\mu_{\mathcal{F}}(F)| \end{aligned}$$

which contradicts (1). Let $w_0 \in \mu_{\mathcal{W}}(F_0) \setminus \mu_{\mathcal{F}}(F_0)$. Then, the pair (w_0, F_0) blocks $\mu_{\mathcal{F}}$, since we have that $w_0 \notin \mu_{\mathcal{F}}(F_0)$, $F_0 = \mu_{\mathcal{W}}(w_0)P(w_0)\mu_{\mathcal{F}}(w_0)$, and

$$w_0 \in Ch(\mu_{\mathcal{F}}(F_0) \cup \{w_0\}, P(F_0)). \quad (2)$$

Condition (2) holds because $|\mu_{\mathcal{F}}(F_0)| < q_{F_0}$ and $w_0 \in \mu_{\mathcal{W}}(F_0)$ imply, by (A) and (D), that $w_0 P(F_0) \emptyset$. Therefore, Case 1 is false.

Case 2: $\bigcup_F \mu_{\mathcal{F}}(F) \not\subseteq \bigcup_F \mu_{\mathcal{W}}(F)$. In this case, there exists a worker $\tilde{w} \in \bigcup_F \mu_{\mathcal{F}}(F) \setminus \bigcup_F \mu_{\mathcal{W}}(F)$. Hence, we can find \tilde{F} such that $\tilde{w} \in \mu_{\mathcal{F}}(\tilde{F})$ while $\tilde{w} \notin \bigcup_F \mu_{\mathcal{W}}(F)$. But, this says that by (OO), $\mu_{\mathcal{W}}(\tilde{w}) = \emptyset P(\tilde{w}) \mu_{\mathcal{F}}(\tilde{w}) = \tilde{F}$, which contradicts that $\mu_{\mathcal{F}}$ is individually rational for \tilde{w} . ■

Proposition 2 below states that properties (3) and (4) also hold under our set of axioms (remember that they hold for the college admissions model).

Proposition 2 *Assume \mathcal{P} satisfies axioms (OO), (A), and (D). Then, for all $P \in \mathcal{P}$, all pairs $\mu, \mu' \in S(P)$, and all $F \in \mathcal{F}$:*

- (a) $|\mu(F)| = |\mu'(F)|$.
- (b) If $|\mu(F)| < q_F$ then $\mu(F) = \mu'(F)$.

Proof. To prove (a) we will show that if $\mu \in S(P)$ then $|\mu(F)| = |\mu_{\mathcal{W}}(F)|$ for all $F \in \mathcal{F}$. Assume the contrary; that is, suppose there exist $\mu \in S(P)$ and $F \in \mathcal{F}$ such that $|\mu(F)| \neq |\mu_{\mathcal{W}}(F)|$.

Case 1: Assume $|\mu_{\mathcal{W}}(F)| > |\mu(F)|$ holds. It means that there exist $w \in \mu_{\mathcal{W}}(F) \setminus \mu(F)$. Therefore,

$$w \notin \mu(F). \quad (3)$$

By (OO) we have that

$$F = \mu_{\mathcal{W}}(w) P(w) \mu(w). \quad (4)$$

By (A) and $w \in \mu_{\mathcal{W}}(F)$ we have that $wP(F) \emptyset$, which implies, by (D), that

$$w \in Ch(\mu(F) \cup \{w\}, P(F)) \quad (5)$$

since $|\mu(F)| < q_F$. Therefore, conditions (3), (4), and (5) imply that μ is not stable since (w, F) blocks it.

Case 2: Assume $|\mu_{\mathcal{W}}(F)| < |\mu(F)|$ holds. We claim that we can find $\hat{F} \in \mathcal{F}$ such that $|\mu(\hat{F})| < |\mu_{\mathcal{W}}(\hat{F})|$, otherwise the number of workers matched at μ would be greater than the number of workers matched at $\mu_{\mathcal{W}}$, contradicting Proposition 1. Applying Case 1 to \hat{F} we conclude that μ is not stable.

To prove (b) suppose that $\mu \in S(P)$ and $|\mu(F)| < q_F$ for some $F \in \mathcal{F}$. By (a) we have that $|\mu_{\mathcal{W}}(F)| = |\mu(F)| < q_F$ holds. It is sufficient to show that $\mu(F) = \mu_{\mathcal{W}}(F)$. To get a contradiction let $w \in \mu_{\mathcal{W}}(F) \setminus \mu(F)$ and, by Proposition 1, let $F' \neq F$ be such that

$$w \in \mu(F'). \quad (6)$$

Using (A) we obtain that $wP(F) \emptyset$ and (OO) implies that

$$\mu_{\mathcal{W}}(w) = FP(w)F' = \mu(w). \quad (7)$$

Therefore, $wP(F) \emptyset$ and $|\mu(F)| < q_F$ imply, by (D), that

$$w \in Ch(\mu(F) \cup \{w\}, P(F)). \quad (8)$$

Conditions (6), (7), and (8) imply that (w, F) blocks μ . ■

Since Proposition 2 implies that the set of unmatched firms is the same in all stable matchings, we can state the following Corollary.

Corollary 3 *Assume firms have q -separable and substitutable preferences. Then, the set of unmatched agents is the same under every stable matching.*

Examples 3, 4, 5, and 6 below show that the statement of Corollary 3 is false without either q -separability or substitutability.

Example 3 Let $\mathcal{F} = \{F_1, F_2\}$ and $\mathcal{W} = \{w_1, w_2, w_3, w_4\}$ be the two sets of agents with a substitutable profile of preferences P defined by

$$\begin{aligned} P(F_1) &= \{w_1, w_2\}, \{w_1, w_3\}, \{w_2, w_4\}, \{w_3, w_4\}, \{w_1\}, \{w_2\}, \{w_3\}, \{w_4\}, \\ P(F_2) &= \{w_3\}, \{w_1, w_2\}, \{w_1\}, \{w_2\}, \{w_4\}, \\ P(w_1) &= F_2, F_1, \\ P(w_2) &= F_2, F_1, \\ P(w_3) &= F_1, F_2, \text{ and} \\ P(w_4) &= F_1, F_2. \end{aligned}$$

The ordering $P(F_2)$ is not q_{F_2} -separable and any \mathcal{P} containing P would violate axiom (D) for any $q_{F_2} \geq 1$. The two optimal stable matchings

$$\begin{aligned} \mu_{\mathcal{F}} &= \begin{pmatrix} F_1 & F_2 & \emptyset \\ \{w_1, w_2\} & \{w_3\} & \{w_4\} \end{pmatrix} \text{ and} \\ \mu_{\mathcal{W}} &= \begin{pmatrix} F_1 & F_2 \\ \{w_3, w_4\} & \{w_1, w_2\} \end{pmatrix} \end{aligned}$$

have the property that $\mu_{\mathcal{F}}(w_4) = \emptyset$ and $\mu_{\mathcal{W}}(w_4) = F_1$.

Example 4 Let $\mathcal{F} = \{F_1, F_2\}$ and $\mathcal{W} = \{w_1, w_2, w_3, w_4, w_5\}$ be the two sets of agents with the (2, 2)-separable profile of preferences P defined by

$$\begin{aligned} P(F_1) &= \{w_1, w_2\}, \{w_3, w_4\}, \{w_1, w_3\}, \{w_1, w_4\}, \{w_2, w_3\}, \{w_2, w_4\}, \{w_1\}, \{w_2\}, \\ &\quad \{w_3\}, \{w_4\}, \\ P(F_2) &= \{w_3, w_5\}, \{w_1, w_2\}, \{w_1, w_3\}, \{w_1, w_5\}, \{w_2, w_3\}, \{w_2, w_5\}, \{w_1\}, \{w_2\}, \\ &\quad \{w_3\}, \{w_5\}, \\ P(w_1) &= F_2, F_1, \\ P(w_2) &= F_2, F_1, \\ P(w_3) &= F_1, F_2, \\ P(w_4) &= F_1, F_2, \text{ and} \\ P(w_5) &= F_2. \end{aligned}$$

Notice that $P(F_1)$ is not substitutable and the following two stable matchings

$$\mu_1 = \begin{pmatrix} F_1 & F_2 & \emptyset \\ \{w_1, w_2\} & \{w_3, w_5\} & \{w_4\} \end{pmatrix} \text{ and}$$

$$\mu_2 = \begin{pmatrix} F_1 & F_2 & \emptyset \\ \{w_3, w_4\} & \{w_1, w_2\} & \{w_5\} \end{pmatrix}$$

have different single workers. Any \mathcal{P} containing P would violate axiom (OO) since $\mu_{\mathcal{W}}$ does not exist and $\mu_1 = \mu_{\mathcal{F}}$ is not the worst stable matching for w_5 .

Example 5 Let $\mathcal{F} = \{F_1, F_2, F_3\}$ and $\mathcal{W} = \{w_1, w_2, w_3, w_4\}$ be the two sets of agents with a substitutable profile of preferences P defined by

$$\begin{aligned} P(F_1) &= \{w_1, w_2\}, \{w_1, w_3\}, \{w_1, w_4\}, \{w_2, w_3\}, \{w_2, w_4\}, \{w_3, w_4\}, \{w_1\}, \{w_2\}, \\ &\quad \{w_3\}, \{w_4\}, \\ P(F_2) &= \{w_3\}, \{w_1, w_3\}, \{w_2, w_3\}, \{w_1, w_2\}, \{w_1\}, \{w_2\}, \\ P(F_3) &= \{w_4\}, \\ P(w_1) &= F_2, F_1, \\ P(w_2) &= F_2, F_1, \\ P(w_3) &= F_1, F_2, \text{ and} \\ P(w_4) &= F_1, F_3. \end{aligned}$$

The ordering $P(F_2)$ is not q_{F_2} -separable and any \mathcal{P} containing P would violate axiom (D) for any $q_{F_2} \geq 1$. The two optimal stable matchings

$$\begin{aligned} \mu_{\mathcal{F}} &= \begin{pmatrix} F_1 & F_2 & F_3 \\ \{w_1, w_2\} & \{w_3\} & \{w_4\} \end{pmatrix} \text{ and} \\ \mu_{\mathcal{W}} &= \begin{pmatrix} F_1 & F_2 & F_3 \\ \{w_3, w_4\} & \{w_1, w_2\} & \emptyset \end{pmatrix} \end{aligned}$$

have the property that $\mu_{\mathcal{F}}(F_3) \neq \emptyset$ and $\mu_{\mathcal{W}}(F_3) = \emptyset$.

Example 6 Let $\mathcal{F} = \{F_1, F_2, F_3\}$ and $\mathcal{W} = \{w_1, w_2, w_3, w_4, w_5\}$ be the two sets of agents with a $(2, 2, 2)$ -separable profile of preferences P defined by

$$\begin{aligned} P(F_1) &= \{w_1, w_2\}, \{w_3, w_5\}, \{w_2, w_5\}, \{w_1, w_5\}, \{w_1, w_3\}, \{w_2, w_3\}, \{w_1\}, \\ &\quad \{w_2\}, \{w_3\}, \{w_5\}, \\ P(F_2) &= \{w_3, w_4\}, \{w_1, w_2\}, \{w_2, w_4\}, \{w_1, w_4\}, \{w_1, w_3\}, \{w_2, w_3\}, \{w_3\}, \\ &\quad \{w_1, w_2\}, \{w_1\}, \{w_2\}, \{w_3\}, \{w_4\}, \\ P(F_3) &= \{w_5\}, \\ P(w_1) &= F_2, F_1, \\ P(w_2) &= F_2, F_1, \\ P(w_3) &= F_1, F_2, \\ P(w_4) &= F_2, \text{ and} \\ P(w_5) &= F_1, F_3. \end{aligned}$$

Notice that $P(F_2)$ is not substitutable and the two stable matchings

$$\mu_1 = \left(\begin{array}{ccc} F_1 & F_2 & F_3 \\ \{w_1, w_2\} & \{w_3, w_4\} & \{w_5\} \end{array} \right) \text{ and}$$

$$\mu_2 = \left(\begin{array}{cccc} F_1 & F_2 & F_3 & \emptyset \\ \{w_3, w_5\} & \{w_1, w_2\} & \emptyset & \{w_4\} \end{array} \right)$$

have the property that F_3 is single in μ_2 but matched in μ_1 . Any \mathcal{P} containing P would violate axiom (OO) since $\mu_{\mathcal{W}}$ does not exist and $\mu_1 = \mu_{\mathcal{F}}$ is not the worst stable matching for w_4 .

4 References

1. D. Gale and L. Shapley, College admissions and the stability of marriage, *Amer. Math. Monthly* **69** (1962), 9-15.
2. D. Gale and M. Sotomayor, Some remarks on the stable matching problem, *Discrete Applied Mathematics* **11** (1985), 223-232.
3. D. Gale and M. Sotomayor, Ms. Machiavelli and the stable matching problem, *Amer. Math. Monthly* **92** (1985), 261-268.
4. A. Kelso and V. Crawford, Job matching, coalition formation, and gross substitutes, *Econometrica* **50** (1982), 1483-1504.
5. A. Roth, The Evolution of the labor market for medical interns and residents: a case study in game theory, *J. Pol. Econ.* **92** (1984), 991-1016.
6. A. Roth, Conflict and coincidence of interest in job matching: some new results and open questions, *Math. Oper. Res.* **10** (1985), 379-389.
7. A. Roth, On the allocation of residents to rural hospitals: a general property of two-sided matching markets, *Econometrica* **54** (1986), 425-427.
8. A. Roth and M. Sotomayor, The college admissions problem revisited, *Econometrica* **57** (1989), 559-570.
9. A. Roth and M. Sotomayor (1990). *Two-sided Matching: A Study in Game-Theoretic Modeling and Analysis*. Cambridge University Press, Cambridge, England. [Econometrica Society Monographs No. 18].
10. T. Sönmez, Strategy-proofness in many-to-one matching problems, *Economic Design* **1** (1986), 365-380.